



0.25m CAT6 Ultra Thin LSZH Ethernet Network Cable | 10 Pack Black

Product Images





Description

The 4Cabling Ultra-Thin CAT6 Ethernet Network Cable. CAT6 cable commonly used where performance, reliability, and maximum speed are needed.

4Cabling new Ultra-Thin CAT6 cables are a great option for high density patch panel setup, where every bit of space matters. All 4Cabling network CAT6 cables are Fluke tested and are manufactured using gold-plated connectors which meet and exceed Australian industry standards.

CAT6 features more stringent specifications for crosstalk and system noise. Cable standard provides performance up to 250MHz and is suitable for from Fast Ethernet, Gigabit Ethernet and 10-Gigabit Ethernet.

FEATURES

- 100% Copper
- 8 multi-strand conductors in 4 twisted-pair T568A colour-coded configuration
- Fitted with 50µ^a Category 6 compliant 2-row (staggered pin) plug
- Fully moulded strain-relief boot
- Low-profile flush moulded boots
- Strong and robust male-to-male connectors
- Low Smoke Zero Halogen (LSZH / LS0H Jacket) reduces the amount of corrosive and toxic gases emitted during combustion

SPECIFICATIONS

- **Cable Type:** CAT6 Ultra Thin
- **Connector Type:** RJ45-RJ45
- **Length:** 0.25m
- **Colour:** Black
- **Qty in Pack:** 10
- **Gauge:** 28AWG
- **Diameter:** 3.6mm

CERTIFICATIONS

- AS/CA S008:2010
- ISO/IEC 11801 Category 6
- TIA/EIA-568.2-D Category 6

WARRANTY

3-years limited warranty

