



## 4C | Weatherproof Isolator 2 Pole IP66 250V 35A

### Product Images



# 4C | Weatherproof Isolator 2 Pole IP66 250V 35A

The 4Cabling Weatherproof Isolator Series is IP66 certified, robust, suitable for outdoor and warehouse use, and features standard and mini designs.

## APPLICATION

Most suitable for residential, commercial and industrial applications, such as air conditioners, swimming pools, outdoor illumination signage, solar equipment, gardens, car parks and exterior walls

## FEATURES

- Combination head terminal screws
- Combination head earth and neutral terminal screws
- Alignment sleeves on switch housing guides the screwdriver into terminal screws to reduce the frequency of screwdriver tips slipping
- Cables looped in and out from: Overhead, Underground or Straight through the switch
- Includes 20-25mm threaded reducers for hassle-free installation
- Temperature Resistance

The temperature range is limited by two aspects:

1. The material used in mouldings
2. The operating temperature of the electrical components.

This limits the use of the standard product to -25°C to +75°C

## SPECIFICATIONS

|                               |   |
|-------------------------------|---|
| <b>QUANTITY IN PACK</b>       | 1   |
| <b>DIMENSIONS W x H x D</b>   | 82,5 x 166 x 86mm                                 |
| <b>TEMPERATURE RESISTANCE</b> | -25°C to +50°C                                    |
| <b>POLES</b>                  | 2   |
| <b>SUPPLY VOLTAGE</b>         | 250V 35A  |
| <b>M RATING</b>               | 180   |
| <b>IP RATING</b>              | IP66  |
| <b>COMPLIANCE</b>             | AS/NZS IEC 40947.3:2018, AS/NZS IEC 60947.1:2015I |
| <b>WARRANTY</b>               | 3 Years   |

## WHY 4CABLING?

- 100% Aussie Owned and Operated
- Expert Advice and Sales Team
- Trusted by Over 100,000 Aussie Customers
- ISO 9001, NSW & QLD Government Approved Supplier
- Massive Stock Levels, Ready to Go
- Lightning Fast Delivery Nationwide
- Warranty & Easy Return Policy
- Secure Online Shopping 24/7

