



4C | Weatherproof Isolator 3 Pole 440V 20A IP66

Product Images



4C | Weatherproof Isolator 3 pole 440V& 20A IP66

The 4Cabling Weatherproof Isolator Series is IP66 certified, robust, suitable for outdoor and warehouse use, and features standard and mini designs.

APPLICATION

Most suitable for residential, commercial and industrial applications, such as air conditioners, swimming pools, outdoor illumination signage, solar equipment, gardens, car parks and exterior walls

FEATURES

- Combination head terminal screws
- Combination head earth and neutral terminal screws
- Alignment sleeves on switch housing guides the screwdriver into terminal screws to reduce the frequency of screwdriver tips slipping
- Cables looped in and out from: Overhead, Underground or Straight through the switch
- Includes 20-25mm threaded reducers for hassle-free installation&
- Temperature Resistance

The temperature range is limited by two aspects:

1. The material used in mouldings
2. The operating temperature of the electrical components.

This limits the use of the standard product to -25°C to +75°C

SPECIFICATIONS

QUANTITY IN PACK	1
DIMENSIONS W x H& x D	82.5 x 166& x 86mm&
TEMPERATURE RESISTANCE	-25°C to +50°C
POLES	3
SUPPLY VOLTAGE	440V 35A
M RATING	180
IP RATING	IP66
COMPLIANCE	AS/NZS IEC 40947.3:2018, AS/NZS IEC 60947.1:2015I
WARRANTY	3 Years

WHY 4CABLING?

- 100% Aussie Owned and Operated
- Expert Advice and Sales Team
- Trusted by Over 100,000 Aussie Customers
- ISO 9001, NSW & QLD Government Approved Supplier
- Massive Stock Levels, Ready to Go
- Lightning Fast Delivery Nationwide
- Warranty & Easy Return Policy
- Secure Online Shopping 24/7

