



TP-Link TL-SG3428XMP | JetStream 24 port Gigabit and 4 SFP+ Managed Switch including 24 PoE+ Ports

Product Images



TP-Link TL-SG3428XMP | JetStream 24 port Gigabit and 4 SFP+ Managed Switch including 24 PoE+ Ports

TP-Link's JetStream L2+ managed switches provide high-performance, powerful L2 and L2+ features like static routing, enterprise-level QoS, advanced security strategies, and a bundle of ISP features. The 10-gigabit ports ensure high-speed data transfer, and their backward compatibility with gigabit products reserves room for network upgrades and therefore guaranteeing stable and long-term usability. The IP-MAC-Port Binding (IMPB) and Access Control List (ACL) functions protect against broadcast storm, ARP and Denial-of-Service (DoS) attacks, etc. Quality of Service (QoS, L2 to L4) provides enhanced traffic management capabilities to move your data smoother and faster. The OAM function helps facilitate network management. Moreover, the easy-to-use web management interfaces, along with CLI, SNMP, and Dual Image mean faster setup and configuration with less downtime. TP-Link JetStream L2+ 10-gigabit managed switches provide a reliable, secure solution for enterprise, campus, and ISP networks.

FEATURES

- **10G Lightning-Fast Uplink:** 4× 10 Gbps SFP+ slots enable high-bandwidth connectivity and non-blocking switching capacity.
- **384 W PoE Budget:** 24× 802.3at/af-compliant PoE+ ports with a total power supply of 384 W*
- **Integrated into Omada SDN:** Zero-Touch Provisioning (ZTP)**, Centralized Cloud Management, and Intelligent Monitoring.
- **Centralised Management:** Cloud access and Omada app for ultra convenience and easy management.
- **Static Routing:** Helps route internal traffic for more efficient use of network resources.
- **Robust Security Strategies:** IP-MAC-Port Binding, ACL, Port Security, DoS Defend, Storm control, DHCP Snooping, 802.1X, Radius Authentication, and more.
- **Optimise Voice and Video Applications:** L2/L3/L4 QoS and IGMP snooping.
- **Standalone Management:** Web, CLI (Console Port, Telnet, SSH), SNMP, RMON, and Dual Image bring powerful management capabilities.

*PoE budget calculations are based on laboratory testing. Actual PoE power budget is not guaranteed and will vary as a result of client limitations and environmental factors.

What is Omada Cloud SDN?

WARRANTY

3-year limited warranty

WHY 4CABLING?

- Australia's leading importer & wholesaler of 19" server racks, copper, ethernet cable, fibre optic leads & structured networking products
- ISO 9001, NSW Govt. & GITC (QLD Govt.) approved supplier
- Secure online shopping 24/7
- A loyal customer base of 100k+ who trust us for their data & electrical needs
- Over 3000 quality products in stock ready to go
- All products are approved as per local Australian standards
- Warranty & peace of mind return policy
- Lightning fast delivery nationwide
- Expert advice

- Proudly 100% Australian owned & operated

