

# TP-Link EAP225-Outdoor | AC1200 Wireless Dual Band Gigabit Outdoor Access Point

#### **Product Images**







## TP-Link EAP225-Wall | AC1200 Wireless Dual Band Gigabit Outdoor Access Point

#### **FEATURES**

- Ideal for Outdoor Environment: IP65 weatherproof enclosure for outdoor Wi-Fi applications
- Fast Dual-Band Wi-Fi: Simultaneous 300 Mbps on 2.4 GHz and 867 Mbps on 5 GHz totals 1167 Mbps Wi-Fi speeds<sup>†</sup>
- Long-Range Coverage: Dedicated high-power amplifier and professional antennas along with the latest generation 802.11ac Wave 2 MU-MIMO technology
- Integrated into Omada SDN: Zero-Touch Provisioning (ZTP)<sup>‡</sup>, Centralised Cloud Management, and Intelligent Monitoring
- Centralised Management: Cloud access and Omada app for ultra convenience and easy management
- Omada Mesh Technology: Enables wireless connectivity between APs for an extended range, making wireless deployments more flexible and convenient\*
- Seamless Roaming: Even video streams and voice calls are unaffected as users move between locations\*
- PoE Support: Support both standard 802.3af/at and Passive PoE (PoE adapter included) for flexible installations

<sup>‡</sup>Zero-Touch Provisioning requires the use of Omada Cloud-Based Controller. Please go to Omada Cloud-Based Controller Product List to find all the models supported by Omada Cloud-Based Controller.

\*Omada Mesh, Seamless Roaming, and Captive Portal require the use of Omada SDN controllers. Please go to Omada Mesh Product List to find all the models supported by Omada mesh technology, and refer to the User Guides of Omada SDN controllers for configuration methods.

### What is Omada Cloud SDN?

## 360° Display of EAP225-Outdoor

#### **WARRANTY**

Warranty 3-years

### WHY 4CABLING?

- Australia's leading importer & wholesaler of 19" server racks, copper, ethernet cable, fibre optic leads & structured networking products
- ISO 9001, NSW Govt. & GITC (QLD Govt.) approved supplier
- Secure online shopping 24/7
- A loyal customer base of 100k+ who trust us for their data & electrical needs
- Over 3000 quality products in stock ready to go
- All products are approved as per local Australian standards
- Warranty & peace of mind return policy
- Lightning fast delivery nationwide

<sup>&</sup>lt;sup>†</sup>Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network complexity, and network overhead, and 3) client limitations, including rated performance, location, connection, quality, and client condition.

- Expert advice
- Proudly 100% Australian owned & operated

