

Teltonika | TRB145 | Industrial RS485 to 4G LTE CAT 1 IoT Gateway

Product Images







Teltonika | TRB145 | Industrial RS485 to 4G LTE CAT 1 IoT Gateway

Industrial Rugged LTE RS485 Gateway

The TRB145 is an ultra-small, lightweight, and energy-efficient IoT gateway equipped with mission-critical LTE connectivity that comes with a widely used RS485 interface for remote management of industrial equipment.

FEATURES

- Connectivity: 4G/LTE (CAT4), 3G, 2G
- Compactness: Small size, easy installation
- Protocols: Compatible with industrial DNP3 & Modbus communication protocols
- RS485: Equipped with RS485 for serial communication

CONTENTS

- TRB145
- 9W PSU included
- 1 x LTE antenna (magnetic mount, SMA male, 3m cable)
- Micro-USB cable (0.8 m)
- 1 x hex key
- RS485 connector
- QSG (Quick Start Guide)
- RMS Flyer

ACCESSORIES (Not included)

- Power Supply Unit (Alternative):
 - TT.PR2FK20M | Power Cable with 4-Way Screw Terminal
 - o TT.PR4MK04K | 4-Pin Plug with Contact Terminals
 - o TT.PR5MEC21 | 4-Pin Power Adapter with I/O Access
 - o TT.PR2PL15B | Power Cable with 4-Way Open Wire
 - o TT.PR2PD01B | 4-Plin to Barrel Socket Adapter
 - o TT.PR2AM20M | Automotive Power Supply
 - TT.BAT120 | Uninterrupted Power Supply
 - TT.PR3PDNP0 | DIN Rail Power Supply
- Mounting Options:
 - o TT.PR5MEC12 | Surface Mounting Klit
 - o TT.PR5MEC11 | Compact DIN Rail Kit
 - o TT.PR5MEC00 | Large DIN Rail Kit
 - o TT.PR5MEC23 | DIN Rail Kit Adapter

WARRANTY

2-years limited warranty

