

4Cabling Pty Ltd ABN 74 123 035 889 4cabling.com.au SALES SUPPORT: 1300 855 235 sales@4cabling.com.au STORE LOCATIONS: Sydney | Melbourne | Brisbane | Perth



Cisco Console Cable USB to RJ45 1.8m Aqua

Product Images



Description

Cisco Console Cable USB to RJ45 1.8m Aqua

Looking for a reliable and versatile CISCO-compatible cable? Look no further than our top-of-the-line cable that is fully compatible with Windows, MAC and Linux. With a powerful FTDI FT231X chipset and RS232 level shifter, our cable offers unmatched stability and speed for all your networking needs.

Our cable also supports hardware flow control, making it the perfect choice for implementing the CISCO break sequence. The RJ-45 DTE pinouts include RTS(1), DTR(2), TXD (3), GND(4), GND(5), RXD (6), DSR(7), and CTS(8), providing a secure and stable connection that you can rely on.

The UART interface support allows for a range of data bit configurations, stop bits, and parity settings, making our cable

versatile and adaptable to your specific needs. With a 1.8M cable length and USB 2.0 Full Speed compatibility, our cable offers unmatched flexibility and speed for all your networking needs.

FEATURES

- Full support for Windows, MAC, and Linux, see the detailed list below
- CISCO Compatible cable
- Supports hardware flow control used to implement the CISCO break sequence
- FTDI FT231X Chipset and RS232 Level shifter
- RJ-45 DTE Pinouts RTS(1), DTR(2), TXD (3), GND(4), GND(5), RXD (6), DSR(7), CTS(8)
- UART interface support for 7 or 8 data bits, 1 or 2 stop bits, and odd / even / mark/space / no parity
- USB 2.0 Full Speed compatible
- Connectors: USB-RJ45
- Length: 1.8m
- Colour: Aqua

SUPPORTED OPERATING SYSTEMS

- Windows 8 x32
- Windows 8 x64
- Windows Server 2008 R2 x64
- Windows 7 x32
- Windows 7 x64
- Windows Server 2008
- Windows Server 2008 x64
- Windows Vista x32
- Windows Vista x64
- Windows Server 2003 x32
- Windows Server 2003 x64
- Windows XP x32
- Windows XP x64
- Windows ME
- Windows 98
- Linux
- Mac OS X
- Mac OS 9
- Mac OS 8
- Windows CE.NET (Version 4.2 and greater)
- Android

WARRANTY

1-year limited warranty

