



TP-Link 10/100Mbps Multi-Mode Media Converter MC100CM

Product Images



TP-Link 10/100Mbps Multi-Mode Media Converter MC100CM

This media converter is designed to convert 100BASE-FX fibre to 100Base-TX copper media or vice versa. The TP-Link Media Converter RJ45-SC 10/100 Multimode, is able to be used as a stand-alone device with no chassis required or it can be used with TP LINK 's 19" system chassis.

Features

- Complies with 802.3u 10/100Base-FX Standards
- Link Fault Passthrough and Far End Fault minimize the loss caused by link failure timely
- Provides switch configuration of Half-Duplex / Full-Duplex transfer mode for FX port
- Extends fibre distance up to 2km
- **Ports:**100M SC port, 1 100M RJ45 port (Auto MDI/MDIX)
- **Wave Length:** 1310nm
- **Network Media 10BASE-T:** UTP category 3, 4, 5 cable (maximum 100m); EIA/TIA-568 100Ω STP (maximum 100m)
- **Network Media 100BASE-T:** UTP category 5, 5e cable (maximum 100m); EIA/TIA-568 100Ω STP (maximum 100m)
- **Network Media 100BASE-FX:**Multi-mode Fibre
- **LED Indicators:** PWR, FDX/Col, Link/Act, SPD
- **Dimensions:** 94.5x73x27mm
- **Power Supply:** External Power Supply
- **Power Supply:** FCC, CE, RoHS
- **Operating Temperature:** 0 degrees Celsius~40 degrees Celsius
- **Storage Temperature:** -40 degrees Celsius ~ 70 degrees Celsius
- **Operating Humidity:** 10% ~ 90% non-condensing
- **Storage Humidity:** 5% ~ 90% non-condensing

Warranty

Warranty 3-years

Why 4Cabling?

- Australia's leading importer & wholesaler of 19" server racks, copper, ethernet cable, fibre optic leads & structured networking products
- ISO 9001, NSW Govt. & GITC (QLD Govt.) approved supplier
- Secure online shopping 24/7
- A loyal customer base of 100k+ who trust us for their data & electrical needs
- Over 3000 quality products in stock ready to go
- All products are approved as per local Australian standards
- Warranty & peace of mind return policy
- Lightning-fast delivery nationwide
- Expert advice
- Proudly 100% Australian owned & operated

