


Small DIN Mount/Wall Mount | Up to 24 Fibres (24 x LC or 12 x SC/ST)

Product Images







1RU 12/24/48 Port Rack Mount Fibre Optic Patch Panel | Rodent Proof FOBOT w/ Splice Cassette

Introducing our Small DIN Mount/Wall Mount, a game-changer in installation solutions. This versatile product offers a range of features that will enhance your setup. With options for both DIN and Wall Mount, you have the flexibility to choose the ideal installation method that suits your specific needs. Enjoy easy cable management with multiple cable knock-out entries, ensuring organized and efficient cable routing. Our rodent-proof design guarantees the protection of your valuable equipment and cables, providing peace of mind.

Maximize your available space without compromising on functionality. The compact size of our mount allows it to accommodate up to 24 fibers while fitting just one standard plate. It is a space-saving solution that optimizes your setup without sacrificing performance. This mount is also compatible with MTP/MPO cassettes, ensuring seamless integration for your networking needs. Crafted from durable black powder-coated steel, our mount provides reliable support, ensuring long-term stability and protection for your equipment.

Invest in our Small DIN Mount/Wall Mount and experience the convenience of versatile mounting options, efficient cable management, rodent-proof design, space-saving capabilities, compatibility with MTP/MPO cassettes, and robust construction. Upgrade your installation experience with this exceptional product today.

FEATURES

- Fits 1 standard plate (see photo for selection)
- DIN or Wall Mount
- Top, Bottom & Rear cable knock out entries (6)
- Rodent Proof
- Fits MTP/MPO Cassette (if splice tray is removed)
- Up to 24 Fibres
- Includes Splice tray
- Requires faceplates and couplers (sold separately)
 - o 6 Port SC Duplex / LC Quad FOBOT Faceplate 015.004.0007
 - 12 Port SC Simplex / LC Duplex FOBOT Faceplate 015.004.0008
 - o 6 Port SC Simplex / LC Duplex FOBOT Faceplate 015.004.0009
 - 12 Port ST Simplex FOBOT Faceplate 015.004.0037
 - o 6 Port ST Simplex FOBOT Faceplate 015.004.0038
 - o Blank Panel FOBOT Faceplate 015.004.0039
 - o Our complete range of couplers can be found here

SPECIFICATIONS

- Measurements: 222mm x 200mm x 47.5mm
- Material: Black Powered Steel

CONTENTS

- 5 Standard Plates
- Splice Tray
- MTP/MPO Cassette
- 2x Cable Guides

- Din Clip
- Cable Gland
- 2x Cable Ties

WARRANTY

1-year limited warranty

