



TP-Link TL-SG105MPE | 5-Port Gigabit Easy Smart Switch with 4-Port PoE+

Product Images



TP-Link TL-SG105MPE | 5-Port Gigabit Easy Smart Switch with 4-Port PoE

Upgrade your network infrastructure with the TL-SG105MPE 5-Port Gigabit Easy Smart Switch with 4-Port PoE+. This advanced switch offers lightning-fast data transfer speeds with its 10/100/1000Mbps RJ45 ports. What sets it apart is its four 802.3af/at PoE+ ports, delivering up to 30W of power per port. This means you can transmit both data and power over a single cable, simplifying your setup and eliminating the need for additional power outlets.

Experience enhanced network management with features such as network monitoring, traffic prioritization, VLAN capabilities, and PoE Auto Recovery. Monitor your network traffic, prioritize critical data, and ensure uninterrupted power and connectivity in the event of a device failure. The web-based user interface and Easy Smart Configuration Utility make setup a breeze, allowing you to customize settings and optimize your network effortlessly.

With its fanless design, the TL-SG105MPE switch not only reduces energy consumption but also eliminates operating noise. Enjoy a quiet and energy-efficient networking experience without compromising on performance. Whether you're a small business owner or a home user, this switch is the ideal choice for powering multiple devices such as IP cameras, wireless access points, and VoIP phones. Upgrade your network today and unlock the true potential of your devices with the TL-SG105MPE 5-Port Gigabit Easy Smart Switch with 4-Port PoE+.

FEATURES

- Five 10/100/1000Mbps RJ45 ports
- Equipped with four 802.3af/at PoE+ ports with up to 30W for each port, data, and power can be transferred on one single cable
- Supports PoE power up to 120 W for all PoE ports*
- Provides network monitoring, traffic prioritization, VLAN features, and PoE Auto Recovery
- Simple network set-up on top of plug-and-play connectivity
- Web-based user interface and Easy Smart Configuration Utility simplify configuration
- Fanless design lowers energy consumption and eliminates operating noise

*PoE budget calculations are based on laboratory testing. Actual PoE power budget is not guaranteed and will vary as a result of client limitations and environmental factors.

**Zero-Touch Provisioning requires the use of Omada Cloud-Based Controller. Please go to Omada Cloud-Based Controller Product List to find all the models supported by Omada Cloud-Based Controller.

WARRANTY

3-year limited warranty

