

4Cabling Pty Ltd ABN 74 123 035 889 4cabling.com.au SALES SUPPORT: 1300 855 235 sales@4cabling.com.au STORE LOCATIONS: Sydney | Melbourne | Brisbane | Perth



TP-Link TL-SL1311MP | 8 Port 10/100Mbps + 3 Port Gigabit Desktop Switch with 8 Port PoE+

Product Images



TP-Link | TL-SL1311MP | 8 Port 10/100Mbps + 3 Port Gigabit Desktop Switch with 8 Port PoE+

Upgrade your network with the TP-Link TL-SL1311MP, an advanced 8 Port 10/100Mbps + 3 Port Gigabit Desktop Switch with 8 Port PoE+. This versatile switch offers powerful features for efficient and reliable networking, supporting IEEE 802.3af/at compliant PDs.

With 8 × 10/100 Mbps RJ45 Ports, 2× Gigabit RJ45 Ports, and 1× Gigabit SFP Port, the TL-SL1311MP provides versatile connectivity options. Power and transmit data simultaneously with the 8× PoE+ ports, delivering up to 30W of power per port. The switch's extended transmission range of up to 250 meters under Extend Mode ensures reliable connectivity over longer distances. Enhance security with Isolation Mode and enjoy the benefits of PoE Auto Recovery, which automatically reboots dropped or unresponsive PD devices.

Upgrade your network with the TP-Link TL-SL1311MP and enjoy efficient power management, extended transmission range, enhanced security, and user-friendly operation. Experience reliable and advanced networking for your business needs.

FEATURES

- 8 × 10/100 Mbps RJ45 Ports, 2× Gigabit RJ45 Ports, 1× Gigabit SFP Port
- 8 × PoE+ ports transfer data and power on individual cables
- Works with IEEE 802.3af/at compliant PDs
- Supports PoE Power up to 30 W for each PoE port
- Supports PoE Power up to 124 W for 8 PoE ports*
- Up to 250 m data and power transmitting range under Extend Mode**
- Isolation Mode allows one-click client traffic separation for higher security and performance
- PoE Auto Recovery guarantees stable operation of PoE devices by automatically rebooting the dropped or unresponsive PD devices
- Fanless Design reduces power consumption and works silently in its location
- Plug and play with no configuration required

*PoE budget calculations are based on laboratory testing. Actual PoE power budget is not guaranteed and will vary as a result of client limitations and environmental factors.

**The speed of the ports in extend mode will downgrade to 10 Mbps. The actual transmission distance may vary due to power consumption of PoE-powered devices or the cable quality and type.

Introducing TP-Link PoE Switches

WARRANTY

3-year limited warranty

