



TP-Link TL-SL1311P | 8 Port 10/100Mbps + 3 Port Gigabit Desktop Switch with 8 Port PoE+

Product Images



Description

TP-Link TL-SL1311P | 8 Port 10/100Mbps + 3 Port Gigabit Desktop Switch with 8 Port PoE+

Introducing the TL-SL1311P 8-Port 10/100Mbps + 3-Port Gigabit Desktop Switch with 8-Port PoE+. This high-performance switch offers seamless networking and power management for businesses of all sizes. With lightning-fast data transfer rates and 8 PoE+ ports for simplified installation, it's the perfect solution for powering devices like IP cameras and wireless access points.

Ensure compatibility with a wide range of PoE-compatible devices through IEEE 802.3af/at compliance. Each PoE port can deliver up to 30 W of power, allowing you to power high-power devices without performance limitations. With an extended data and power transmission range of up to 250 meters, you can expand your network coverage and place devices flexibly.

Enhance security and optimize network performance with the one-click Isolation Mode, which separates client traffic. Enjoy the peace of mind provided by PoE Auto Recovery, as it automatically reboots dropped or unresponsive PD devices. With a fanless design that reduces power consumption and silent operation, it's an energy-efficient and reliable addition to any network.

Upgrade your network with the TL-SL1311P 8-Port 10/100Mbps + 3-Port Gigabit Desktop Switch with 8-Port PoE+. Benefit from simplified power management, enhanced security, and effortless installation, while experiencing seamless performance and reliability.

FEATURES

- Five 10/100/1000Mbps RJ45 ports
- Equipped with four 802.3af/at PoE+ ports with up to 30W for each port, data, and power can be transferred on one single cable
- Supports PoE power up to 120 W for all PoE ports*
- Provides network monitoring, traffic prioritization, VLAN features, and PoE Auto Recovery
- Simple network set-up on top of plug-and-play connectivity
- Web-based user interface and Easy Smart Configuration Utility simplify configuration
- Fanless design lowers energy consumption and eliminates operating noise

*PoE budget calculations are based on laboratory testing. Actual PoE power budget is not guaranteed and will vary as a result of client limitations and environmental factors.

**Zero-Touch Provisioning requires the use of Omada Cloud-Based Controller. Please go to Omada Cloud-Based Controller Product List to find all the models supported by Omada Cloud-Based Controller.

WARRANTY

3-year limited warranty

