



## TP-Link | EAP615-Wall | AX1800 Wall-Plate Dual-Band Wi-Fi 6 Access Point

### Product Images



# TP-Link | EAP615-Wall | AX1800 Wall-Plate Dual-Band Wi-Fi 6 Access Point

Upgrade your Wi-Fi experience with the EAP615-Wall AX1800 Wall-Plate Dual-Band Wi-Fi 6 Access Point. With speeds of up to 1.8 Gbps powered by the latest Wi-Fi 6 technology†, enjoy blazing-fast connectivity for seamless browsing and streaming. Benefit from higher network efficiency, thanks to OFDMA and MU-MIMO, which provide faster speeds on multiple devices simultaneously.

Experience reliable and wide-ranging coverage with the EAP615-Wall's high-power amplifier, professional antennas, and IP67 weatherproof enclosure. This ensures a strong and durable signal, even in challenging environments. Expand your network effortlessly with Omada Mesh Technology\*, enabling extended coverage and flexible deployment options for large properties or multi-story buildings.

Seamlessly move throughout your property with fast roaming capabilities\*\*, ensuring uninterrupted streaming and browsing as your devices switch effortlessly between access points. Simplify network management through centralized cloud management with Omada SDN, allowing you to monitor and control your network from anywhere.

Upgrade your Wi-Fi to the next level with the EAP615-Wall AX1800 Wall-Plate Dual-Band Wi-Fi 6 Access Point. Enjoy lightning-fast speeds, superior coverage, and convenient network management for a seamless and efficient wireless experience.

(Note: \*Requires additional compatible devices with Omada Mesh Technology. \*\*Requires seamless roaming supported devices.)

## FEATURES

- Superior WiFi 6 Speeds: Delivers dual-band speeds of up to 1.8 Gbps powered by the latest WiFi 6 technology†
- Higher Network Efficiency: Enjoy faster speeds on more devices with less lag via OFDMA and MU-MIMO
- Long-Range Coverage: Dedicated high-power amplifier and professional antennas with IP67 weatherproof enclosure
- Omada Mesh Technology: Enables wireless connectivity between access points for extended range and flexible deployment\*
- Stay Smooth with Fast Roaming: Users can enjoy seamless streaming across the property with their devices switching effortlessly between access points\*\*
- Centralised Cloud Management: Integrates into Omada SDN for cloud access and remote management

\*Use of WiFi 6 (802.11ax) and features including OFDMA and MU-MIMO requires client devices to support the corresponding features.

\*\*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed. They will vary due to factors including network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

†Seamless roaming may require upgrading the firmware.

‡PoE pass-through is only available when 802.3at powers the device. The maximum power output for POE pass-through is 13 W (EU version) or 12 W (US version), based on laboratory testing. Actual power delivered to the device may vary.

# WARRANTY

3-years Warranty

