




CAT5E RJ45 Keystone Jack | 10 pack White

Product Images



Description

CAT5E RJ45 Keystone Jack | 10 pack White

A handy 10-Pack of our universal range of CAT5E Keystone Jacks can be terminated using both a KATT & 110 style punch down tool. These jacks are designed for 22-26 AWG solid conductors. They are designed for use with UTP network cable and are ideal for Ethernet, Fast Ethernet and Gigabit Ethernet network applications. Each outlet features PCB technology which maintains low insertion loss, return loss and cross talk.

FEATURES

- Terminated with both a KATT & 110 Punch Down Tools
- Combined T568A & T568B colour coding for easy installation
- Termination Cap keeps the wires firmly in place
- Designed for 22-26 AWG Solid Conductors
- Jacks are UL Listed, Comply with TIA/EIA 568-B-2.1, Approved by the RCM (A-tick)
- Compatible with keystone faceplates, surface mount boxes and patch panels
- Unique patented removable dust caps are handy to protect your outlets when not in use
- RJ45 Complies with FCC Part 68 Standard
- Australian Standard AS/CA S008:2010

SPECIFICATIONS

- **Material:** Phosphor bronze contacts with 60 to 50u" gold plating
- **Colour:** White
- **Quantity:** 10 Pack
- **Jack insertion life:** > 750 mating cycles
- **IDC insertion life:** > 250 mating cycles
- **Operating temperature:** -40 to + 60°C
- **Contact resistance:** 20m ohm
- **DC Current rating:** 1.5Amps
- **DC resistance:** Max 0.1 ohm
- **Insulation Resistance:** 500 ohm
- **Dielectric withstanding voltage:** 1000v

WARRANTY

3-years limited warranty

