




## 2.5m CAT6A RJ45 S/FTP THIN LSZH 30 AWG Network Cable | Blue

### Product Images

---



### Description

---

# 2.5M Cat 6A RJ45 S/FTP THIN LSZH Network Cable. 30 AWG. Blue

The 4Cabling THIN CAT6A Shielded FTP. Made from 100% bare copper, this THIN CAT6A patch leads is a great option for high-density patching where every bit of space matters. 4Cabling CAT6A THIN S/FTP patch leads are designed to use for mission-critical data delivery where performance, reliability and maximum speed are paramount. The 30 AWG cable diameter is thin enough for the cable to reach an even tighter spot without compromising its maximum capability.

CAT6A cables are manufactured differently from CAT5E/ 6 in many ways. The nature of 10G network is such that pairs of copper conductors in the same cable can create crosstalk amongst themselves, a scenario not normally seen or considered in CAT6A or below rated patch leads. Pair separation becomes a critical design trait. Only cables designed and manufactured to exact specifications will perform at 500MHz required in high-performance CAT6A installations.

4Cabling offers this high-quality range patch leads in 4 different colours and lengths to complete your patching requirements. Demand the best and ask for 4Cabling CAT6A by name to ensure your network performs as designed.

## FEATURES:

- 100% copper
- 30AWG x 4P
- Warranty: 3 Year
- Gigabit applications
- Available in different colours and lengths
- Low Smoke Zero Halogen Jacket Material
- Australian Standard wiring T568A
- RoHS Compliance

## SPECIFICATIONS:

- Colour: Blue
- Length: 2.5M
- Connector: RJ45 - RJ45
- Cable Type: CAT6A S/FTP THIN Fully Shielded
- External diameter: 4.5mm
- Jacket Material: LSZH

## WHY 4CABLING?

- 100% Aussie owned and operated.
- Expert advice and sales team.
- Trusted by over 100,000 Aussie customers
- ISO 9001, NSW & QLD government approved supplier
- Massive stock levels, ready to go
- Lightning fast delivery nationwide
- Warranty & easy return policy
- Secure online shopping 24/7

